

nextview[®]
the vision...

INNOVATING
Visual
EXPERIENCES

NV24K43S9





4K



Voice
Control

ANDROID SMART CLOUD TECHNOLOGY

LOADED WITH 5000 MOVIES



NV24K43S9

LED TV SPECIFICATIONS



43" 4K SMART LED TV

MODEL	43-FL (CLOUD TV)
RESOLUTION	UHD 3840*2160
BLU	45W

ANDROID FEATURES

CHIPSET		
SOLUTION		ANDROID 9.0
CPU		A55*/1.9 GHZ (QUAD CORE)
GPU		MALI-G31 MP2/800MHZ
ROM/EMMC		8GB
RAM/DDR		1GB
LAN		RJ-45
WI-FI		2.4 GHZ/150MBPS
PLAY STORE SUPPORT (SELECTED APP)		YES
I/O PORTS	QTY	
AV IN	2	RCA
USB	2	V-2.0
HDMI	3	STANDARD
LAN	1	RJ-45
WI-FI	YES	2.4 GHZ
OPTICAL OUT	YES	RCA
EAR PHONE	1	MINI (3.5 MM)

FEATURES

SCREEN SIZE	42.52" (109 CM)
CONTRAST RATIO	2,00,000:1
BRIGHTNESS	> 300 NITS
VIEWING ANGLE	178° H/178° V
RESPONSE TIME	8 MS
MAIN BOARD	3IN1 BOARD
SOUND O/P	2*8W, 8 OHM
SPEAKER	34*94 - 8E/10W BOX SPK
DOLBY	N/A
PRELOAD APPS	YES
SCREEN CAST / MAXHUB SHARE	YES
CLOUD TV UI (WITH VOICE FUNCTION OPTIONAL) CONTRAST RATIO	SUPPORTED (WITH MOVIE BOX 10000 + MOVIES)
OSD LANGUAGE	ENGLISH
VIDEO INPUT - CVBS	
COLOR SYSTEM	PAL, SECAM
VIDEO	1VP-P @75 OHM +5%
AUDIO	500MV RMS
VIDEO INPUT - PC - RGB(N/A)	
SYNC	H:30-75KHZ, V:56-75HZ
VIDEO	0.7VP-P @ 75OHM
RESOLUTION	UP TO 1920*1080@60HZ
VIDEO INPUT - HDMI	
VIDEO	STANDARD TDMS FORMAT
RESOLUTION	480I, 480P, 576I, 576P, 720P, 1080I, 1080P

USB MULTIMEDIA PLAYBACK FORMAT

MEDIA	FILE	VIDEO	AUDIO
MOVIE	.AVI	MJPEG	MP3, AAC, MP2, PCM
		MPEG-2, MPEG-4, H.264	
	.MP4	MPEG-2, MPEG-4, H.264	
	.TS/.TR	MPEG-2, H.264	
	.MKV/MOV	MPEG-2, H.265	
	4K	H.265/HEVC/MPEG-4- FPS-30	
	.MPG	MPEG-2, H.264	
	.DAT	MPEG-1	MP2
	.VOB	MPEG-2	MP2
MUSIC	.RM/.RMVB	RV8, RV9, RV10	COOK
	.MP3		MP3
PHOTO	.M4A/.AAC		AAC
	.JPG/.JPEG	PROGRESSIVE JPEG	MAX RESOLUTION 1024*768
		BASELINE JPEG	MAX RESOLUTION 15360*6400
	.BMP		MAX RESOLUTION 9600*6400
.PNG	NON-INTERLACED	MAX RESOLUTION 9600*6400	
	INTERLACED	MAX RESOLUTION 1200*800	
TEXT	.TXT	ANSI/UNICODE GB/UTF8	FILE SIZE : 1MB MAX

INPUT ELECTRICAL SPECIFICATIONS

VOLTAGE	100~240V AC
CURRENT	0.3A MAX
FREQUENCY	50HZ/60HZ +5%
INRUSH CURRENT (COLD START)	70A TYPE PEAK,230V AC
EFFICIENCY (FULL LOAD)	80% (FULL LOAD WITH 230VAC)
LEAKAGE CURRENT	LESS THAN 0.5MA, 230VAC INPUT
STANDBY POWER LOSS	< 0.5W 230VAC INPUT AND NO LOAD
INPUT FUSE	T3.15AL/250VAC

OUTPUT ELECTRICAL SPECIFICATIONS

MAX POWER CONSUMPTION	90W MAX (O/P)
NET WEIGHT	7.1KGS (APPROX.)
GROSS WEIGHT	10.20 KG (APPROX.)
NET DIMENSION(MM)	965 X 560 X 90
GROSS DIMENSION(MM)	1070 X 160 X 645



SCAN HERE FOR EVERY SOLUTION

[f /nextview](#) [@ /nextview_official](#) [▶ /nextview >>](#)
support@nexttechgroup.com www.nexttechgroup.com

TOLL FREE NO.
1800 2700 139