

nextview
the vision...

MAKE YOUR VIEWING
EXPERIENCE BETTER





Voice Control



ANDROID SMART CLOUD TECHNOLOGY

LOADED WITH 5000 MOVIES





LED TV SPECIFICATIONS

**50"
LED TV**

PANEL

PANEL MAKER	INNOLUX
DISPLAY SIZE	49.5" (126 CM)
ASPECT RATIO	16:9, AUTO
RESOLUTION	3840 * 2160
CONTRAST	5000:1
VIEWING ANGLE	178°(H) X 178°(V)
MAXIMUM COLORS	16.7M(8 BIT)
RESPONSE TIME	9.5 MS
LUMINANCE	320+-10NITS

CONNECTIVITY

ETHERNET (RJ45)	1
COAX	1
TV	1
HDMI	3
AV INPUT	2
USB	2
HEAD PHONE	1

*** FRAMELESS TYPE CABINET**
*** WITH BOX SPEAKER**

SMART TV FEATURES

PROCESSOR	QUAD-CORE A55 1.9GHZ
GPU	MALI-G31 MP2 GPU
RAM	2 GB
ROM	16 GB
OPERATING SYSTEM	ANDROID 9.0
UI	CLOUD LAUNCHER WITH
	CERTIFIED INDIAN (HOTSTAR,
	SONY LIV, ZEE5,HUNGAMA ETC.)
	APPS, MAXHUB SHARE, KINDLINK

USB FORMAT

VIDEO	MPEG-1, MPEG-2, MPEG-4, H.264, H.263 .AVI, .MP4, .MPG, .MKV, .MOV, .DAT, .VOB
MUSIC	.MP3, .WAV
IMAGE	.JPG, .BMP, .PNG
TEXT	.TXT

ACCESSORIES

REMOTE CONTROLLER	YES
WALL-MOUNT BRACKET	YES
USER MANUAL	YES
STAND	YES

POWER

POWER REQUIREMENT	115-230VAC 50/60HZ
POWER CONSUMPTION (STANDBY)	≤ 0.5W AT 240VAC INPUT & NO LOAD CONDITION
MAXIMUM POWER CONSUMPTION	135 WATTS
CURRENT	≤ 1.8 AMP

CHARACTERISTICS

DIMENSIONS LED SET (LXWXH) WITH OUT STAND	1119X 87 X 650MM
DIMENSIONS LED SET (LXWXH) WITH STAND	1119 X 220 X 695 MM
BOX DIMENSION (LXWXH)	1230 X 190 X 815 MM
GROSS WEIGHT OF PRODUCT	18 KG
NET WEIGHT OF PRODUCT	11.200 KG

PANEL	TYPE	TFT-LCD/LED
	INTERFACE	SINGLE/DOUBLE LVDS
TV	RECEIVING RANGE	48.25MHZ-863.25MHZ
	INPUT IMPEDANCE	75Ω
	VIDEO SYSTEM	PAL, NTSC, SECAM, MPEG-2, MPEG-4, H.264
	SOUND SYSTEM	BG, DK, I, M/N, NICAM/A2, MPEG-1
		LAYER 1/2, MPEG-2 LAYER 2
PC	VIDEO LEVEL	0.7VP-P@75OHM
	FORMAT	MAX. 1920*1080@60HZ
AV	COLOR SYSTEM	PAL/NTSC/SECAM
	VIDEO LEVEL	1.0 VP-±10%
HDMI	FORMAT	480I, 480P, 576I, 576P, 720P, 1080I, 1080P
AUDIO OUTPUT	MAX OUTPUT POWER	2X8W @ 8OHM THD≤10%
WLAN	MAX DATA RATE	150MBPS
	OPERATING FREQUENCY	2.4GHZ
	COMMUNICATIONS STANDARD	IEEE 802.11B/G/N
KEYBOARD	POWER, MENU, SOURCE, CH+, CH-, VOL+, VOL-	

[f/nextview](#)
[@ /nextview_official](#)
[▶ /nextview >>](#)
support@nexttechgroup.com
www.nexttechgroup.com

TOLL FREE NO.
1800 2700 139