



SO MUCH
LARGER
THAN LIFE

everything else looks small

85"




VOICE
CONTROL



NVS24K85S9

Android Smart TV, 2GB/16GB, 4K Resolution UHD-3840*2160
Wifi & Hotspot In Build, Screen Mirroring
TV Mirroring, Stereo Sound, USB To USB File
Transfer, INPUT:2+USB, RJ45+1,3+HDMI
1+AV, Coaxial/Optical-Out+1
Android, 216cm(85")4k

85"



LED TV SPECIFICATION

LED TV SPECIFICATION

MODEL	85 -4K
SCREEN SIZE	216 CM
SCREEN TYPE	3840*2160
RESOLUTION	UHD-3840*2160
ASPECT RATIO	16:9
CONTRAST RATIO	20,00,000:1
OPEN CELL	AUO

ANDROID FEATURES

SOLUTION	HK-RT2851
MAIN BOARD	ANDROID 9.0 (AOSP)
CPU	ARM CORTEX -A55*4
CPU FREQ.	1.1GHZ
GPU	MALI-470*3
GPU FREQ.	600MHZ
ROM	16GB
RAM	2GB
LAN	RJ-45
WI-FI	2.4 GHZ

I/O PORTS	QTY	
AV IN	1	RCA
OPTICAL - OUT	1	OPTICAL
USB	2	V-2.0
HDMI	3	STANDARD
EARPHONE /LINE OUT	1	3.5 MM SOCKET
RF IN (OPTIONAL)	1	75 OHMS
WI-FI	YES	2.4GHZ-802.11B/G/N
LAN	YES	RJ - 45

FEATURES

BRIGHTNESS	> 250 NITS
VIEWING ANGLE	178° (H) / 178° (V)
RESPONSE TIME	8.0 MSEC
MAIN BOARD	3IN1 BOARD
SOUND O/P	2X10W(8Ω) THD+N<10%
SPEAKER	30*70 - 8E/10W BOX SPK
PRELOAD APPS	NETFLIX, YOUTUBE, HOTSTAR, BROWSER, ETC WITH AVAILABLE WITH ZESAN APP STORE
SCREEN CAST / ESHARE /MAXHUB SHARE	YES
BLUETOOTH (1 WAY)	EXTERNAL DEVICE
VOICE COMMAND FUNCTION (SELECTED)	EXTERNAL DEVICE (OPTIONAL)
OSD LANGUAGE	ENGLISH

VIDEO INPUT - TV

VIDEO SYSTEM	PAL
SOUND SYSTEM	BG, DK, I
STORAGE CHANNEL	99+

VIDEO INPUT - CBVS

COLOR SYSTEM	PAL, SECAM
VIDEO	1VP-P @75 OHM +5%
AUDIO	500MV RMS

VIDEO INPUT - PC-RGB

SYNC	H:30-75KHZ, V:56-75HZ
VIDEO	0.7VP-P @ 750HM
RESOLUTION	UP TO 3840*2160@60HZ

VIDEO INPUT - HDMI

VIDEO	STANDARD TDMS FORMAT
RESOLUTION	480I, 480P, 576I, 576P, 720P, 1080I, 1080P, 2160P/I

USB MULTIMEDIA PLAYBACK FORMAT

VIDEO	AUDIO
MJPEG	MP3, AAC, MP2, PCM
MPEG-2, MPEG-4, H.265	
MPEG-2, MPEG-4, H.265	
MPEG-2, H.265	
MPEG-2, H.265	
H.265/H.264/MPEG-4- FPS-30	
MPEG-2, H.265	
MPEG-1	MP2
MPEG-2	
RV8, RV9, RV10	COOK
-	MP3
-	AAC
PROGRESSIVE JPEG	MAX RESULATION 1024*768
BASELINE JPEG	MAX RESULATION 1920*1080
-	MAX RESULATION 15360*8640
NON-INTERLACED	MAX RESULATION 4000*4000

INPUT ELECTRICAL SPECIFICATIONS

VOLTAGE	100~240V AC
CURRENT	2.0A MAX
FREQUENCY	50HZ/60HZ +5%
"INRUSH CURRENT(COLD START)"	70A TYPE PEAK,230V AC
EFFICIENCY (FULL LOAD)	80% (FULL LOAD WITH 230VAC)
LEAKAGE CURRENT	LESS THAN 0.5MA, 230VAC INPUT
STANDBY POWER LOSS	< 1.0W 230VAC INPUT AND NO LOAD
INPUT FUSE	T5AH/250VAC

OUTPUT ELECTRICAL SPECIFICATIONS

MAX POWER CONSUMPTION	< 240 WATT
NET WEIGHT	38 KGS (APPROX.)
GROSS WEIGHT	60 KG (APPROX.)
NET DIMENSION(MM)	1900 X 1090 X 80 + (20 WALL MOUNT)
GROSS DIMENSION(MM)	2030 X 1225 X 190
STAND-BY POWER CONSUMPTION	<1.0 W

TOLL FREE NO.

1800 2700 139

f /nextview

© /nextview_official

▶ /nextview >>

✉ support@nexttechgroup.com

🌐 www.nexttechgroup.com

