

nextview  
the vision...



SUMMER JUST GOT COOLER



High Flow



Anti-Bacterial



90° Swing





## Descriptions

## IDU for 1.5T Fixed SPLIT AC

## ODU for 1.5T Fixed SPLIT AC

Visual

Energy Star Rating

3 Star

## Construction

Material used	ABS, PP, HIPS ( FR Grade only for Control box)	Base, Fan stand , Partition etc are made of GP sheet, Powder / Galvanized Coated
Compressor	-	Rotary , Highly / GMCC
Heat Exchanger	EVA - 7mm IG cu-tube, 4 in 4out, 16 hair pin, FPI =19, Gold Fins	COND - 7.0 mm IG cu-tube, 1.9 row , 24 hair pin, FPI = 19, Bare Fins
Motor	35 Watt BLDC, rpm = 1300 / 1180 / 970 / 850 , with TOP	55 Watt, 930 rpm with TOP
Remote Control	LED display + LCD handset / HV Surge Protection	-
Refrigerant	-	R-32 Eco friendly

## Main Features

Type of Split	Wall Mounted	-
Cooling Capacity (Watts)	-	5100
Total Power Consumption (Watts)	refer ODU	1440
Energy Efficiency Ratio (EER)	refer ODU	3.54

## Compressor

Compressor Type	-	Rotary
Number of Compressors	-	1
Refrigerant Control	-	Capillary

## Evaporator Blower Motor

Number of Evaporator Blower Motors	1	-
Evaporator Blower Type	Centrifugal, 105 mm Dia, 705 MM Length	-

## Fans

Fan Motor Make	Welling	Welling
Maximum Fan Speed (rpm)	1350 RPM turbo/ 1280 in high speed	1150
Fan Blade	-	3 Blades, 17.5"

3 STAR SPLIT AC

Descriptions	IDU for 1.5T Fixed SPLIT AC	ODU for 1.5T Fixed SPLIT AC
<b>Air Circulation</b>		
Air Circulation (High) (M3/Hr)	990	1480
<b>Filters</b>		
Filter Type	Pop-up	-
<b>Temperature</b>		
Temperature Control	Digital	-
Evaporator Blower Type	Set 17 - 30 Deg C	-
<b>General Features</b>		
Remote Control	Yes	
Air Swing	Yes	
Auto Restart	Yes	
Timers	Yes	
Anti Corrosion Body	Yes	Yes
Noise Levels (Indoor) (db)	<46	
Noise Levels (Outdoor) (db)	-	<55
suction Pipe Size (Inches)	1/2"	
Liquid Pipe Size (Inches)	1/4"	
<b>Power Requirement</b>		
Voltage (Volts)	230	230
Frequency (Hz)	50	50
Phase	1	1
Running Current (Amps)	-	6.4
<b>Dimensions</b>		
Width (mm)	900	835
Depth (mm)	230	295
Height (mm)	300	555
Weight (K.G) Net / Gross	10.5 / 13.5	35 /38
<b>Unique Features</b>		
Unique Feature	LED Display	STYLISH Compact ODU