

nextview
the vision... 



SUMMER JUST GOT COOLER



High Flow




Anti-Bacterial



90° Swing





4 STAR SPLIT AC

Descriptions	IDU for 1.5T SPLIT AC (Inverter)	ODU for 1.5T SPLIT AC (Inverter)
Visual		
Energy Star Rating	4 Star	
Construction		
Material used	ABS, PP, HIPS (FR Grade only for Control box)	Base, Fan stand , Partition etc are made of GP sheet, Powder / Galvanized Coated
Compressor	-	Rotary , Highly / GMCC
Heat Exchanger	EVA - 7mm IG cu-tube, 4 in 4out, 16 hair pin, FPI =19, Gold Fins	COND - 7.0 mm IG cu-tube, 1.5 row , 24 hair pin, FPI = 19, Bare Fins
Motor	35 Watt BLDC, rpm = 1450/1380 / 1280 / 900 , with TOP	55 Watt, 930 rpm with TOP
Remote Control	LED display + LCD handset / HV Surge Protection	-
Refrigerant	-	R-32 Eco friendly
Main Features		
Type of Split	Wall Mounted	-
Cooling Capacity (Watts) Full /Half Load	-	5100 /2550
Power Consumption (Watts) Full /Half Load	refer ODU	1600/620
Energy Efficiency Ratio (EER)	refer ODU	3.92
Compressor		
Compressor Type	-	Rotary
Number of Compressors	-	1
Refrigerant Control	-	Capillary
Evaporator Blower Motor		
Number of Evaporator Blower Motors	1	-
Evaporator Blower Type	Centrifugal, 105 mm Dia, 705 MM Length	-
Fans		
Fan Motor Make	Welling	Welling
Maximum Fan Speed (rpm)	1420 RPM turbo/ 1280 in high speed	900
Fan Blade	-	3 Blades, 17.5"

4 STAR SPLIT AC

Descriptions	IDU for 1.5T SPLIT AC (Inverter)	ODU for 1.5T SPLIT AC (Inverter)
Air Circulation		
Air Circulation (High) (M3/Hr)	1100	2180
Filters		
Filter Type	Pop-up	-
Temperature		
Temperature Control	Digital	-
Temperature Range (Deg. Celsius)	Set 17 - 30 Deg C	-
General Features		
Remote Control	Yes	
Air Swing	Yes	
Auto Restart	Yes	
Timers	Yes	
Anti Corrosion Body	Yes	Yes
Noise Levels (Indoor) (db)	<46	
Noise Levels (Outdoor) (db)	-	<55
suction Pipe Size (Inches)	1/2"	
Liquid Pipe Size (Inches)	1/4"	
Power Requirement		
Voltage (Volts)	230	230
Frequency (Hz)	50	50
Phase	1	1
Running Current (Amps)	-	6.53
Dimensions		
Width (mm)	900	835
Depth (mm)	230	295
Height (mm)	300	555
Weight (K.G) Nett / Gross	10.5 / 13.5	35 / 38
Unique Features		
Unique Feature	LED Display	STYLISH Compact ODU

AUTHORISED DEALER

✉ support@nexttechgroup.com

🌐 www.nexttechgroup.com

f /nextview

@ /nextview_official

▶ /nextview >>